



Web #	Item #	Product Name	SKU	Description	MSRP	Eligible	% Eligible
Access Points							
11.000100	1	UniFi WiFi Access Point	UAP-AC-HD-US	Indoor/Outdoor high-performance, Simultaneous Dual-Band 4x4 Multi-User MIMO Access Point (2.4 GHz 6-25 dBm, 5 GHz 6-25 dBm), capable of throughput speeds of up to 2533 Mbps and a maximum range of up to 122 meters. Four Stream 802.11 a/b/g/n/r/k/v/ac/ac wave 2, BSSID Up to 8 per Radio. CE, FCC, IC certified. Wall/Ceiling (Kits Included), 802.3at PoE+ 44 to 57VDC, (2) 10/100/1000 Ethernet Ports, Maximum Power Consumption 17W.	\$349	\$349	100%
11.000102	2	UniFi WiFi Access Point (5 Pack)	UAP-AC-HD-US-5	5 Pack Indoor/Outdoor high-performance, Simultaneous Dual-Band 4x4 Multi-User MIMO Access Point (2.4 GHz 6-25 dBm, 5 GHz 6-25 dBm), capable of throughput speeds of up to 2533 Mbps and a maximum range of up to 122 meters. Four Stream 802.11 a/b/g/n/r/k/v/ac/ac wave 2, BSSID Up to 8 per Radio. CE, FCC, IC certified. Wall/Ceiling (Kits Included), 802.3at PoE+ 44 to 57VDC, (2) 10/100/1000 Ethernet Ports, Maximum Power Consumption 17W.	\$1,679	\$1,679	100%
11.000104	3	UniFi AC Pro Access Point	UAP-AC-PRO	Indoor/Outdoor, Simultaneous Dual-Band WiFi Gigabit Ethernet 3x3 MIMO Access Point (2.4 GHz 22 dBm, 5 GHz 22 dBm), capable of throughput speeds of up to 1750 Mbps. Four Stream 802.11 a/b/g/n/r/k/v/ac, BSSID Up to 8 per Radio. CE, FCC, IC certified. Wall/Ceiling (Kits Included), 802.3at PoE+ 802.af PoE 44 to 57VDC, (2) 10/100/1000 Ethernet Ports, (1) USB 2.0 Port, Maximum Power Consumption 9W. 3 Dual Band Antennas (2.4 GHz 3 dBi, 5 GHz 3 dBi).	\$149	\$149	100%
11.000106	4	UniFi AC Pro Access Point (5 Pack)	UAP-AC-PRO-5	5 Indoor/Outdoor, Simultaneous Dual-Band WiFi Gigabit Ethernet 3x3 MIMO Access Point (2.4 GHz 22 dBm, 5 GHz 22 dBm), capable of throughput speeds of up to 1750 Mbps. Four Stream 802.11 a/b/g/n/r/k/v/ac, BSSID Up to 8 per Radio. CE, FCC, IC certified. Wall/Ceiling (Kits Included), 802.3at PoE+ 802.af PoE 44 to 57VDC, (2) 10/100/1000 Ethernet Ports, (1) USB 2.0 Port, Maximum Power Consumption 9W. 3 Dual Band Antennas (2.4 GHz 3 dBi, 5 GHz 3 dBi).	\$699	\$699	100%
11.000108	5	UniFi AC Mesh Pro Access Point	UAP-AC-M-PRO	Outdoor high-performance, Simultaneous Dual-Band 3x3 Multi-User MIMO Access Point (2.4 GHz 22 dBm, 5 GHz 22 dBm), capable of throughput speeds of up to 1750 Mbps Range up to 183 Meters. Four Stream 802.11 a/b/g/n/ac, BSSID Up to 4 per Radio. CE, FCC, IC certified. Wall/Pole (Pole Kit Included), 802.3af PoE 44 to 57VDC, (2) 10/100/1000 Ethernet Ports, Maximum Power Consumption 9W. 3 Dual Band Antennas	\$199	\$199	100%
11.000110	6	UniFi AC Mesh Pro Access Point (5 Pack)	UAP-AC-M-PRO-5	5 Pack Outdoor high-performance, Simultaneous Dual-Band 3x3 Multi-User MIMO Access Point (2.4 GHz 22 dBm, 5 GHz 22 dBm), capable of throughput speeds of up to 1750 Mbps Range up to 183 Meters. Four Stream 802.11 a/b/g/n/ac, BSSID Up to 4 per Radio. CE, FCC, IC certified. Wall/Pole (Pole Kit Included), 802.3af PoE 44 to 57VDC, (2) 10/100/1000 Ethernet Ports, Maximum Power Consumption 9W. 3 Dual Band Antennas	\$975	\$975	100%
11.000112	7	UniFi AP AC SHD	UAP-AC-SHD	Indoor/Outdoor (Covered) high-performance, Simultaneous Dual-Band 4x4 Multi-User MIMO Access Point (2.4 GHz 6-25 dBm, 5 GHz 6-25 dBm) with Dedicated Security Radio, capable of throughput speeds of up to 2533 Mbps and a maximum range of up to 122 meters. Four Stream 802.11 a/b/g/n/r/k/v/ac/ac wave 2, BSSID Up to 8 per Radio. CE, FCC, IC certified. Wall/Ceiling (Kits Included), 802.3at PoE+ 44 to 57VDC, (2) 10/100/1000 Ethernet Ports, Maximum Power Consumption 17W. Includes Real-Time Spectrum and Air-Time Utilization Engine	\$549	\$549	100%
11.000114	8	UniFi AP AC SHD (5 Pack)	UAP-AC-SHD-5	Five Pack Indoor/Outdoor (Covered) high-performance, Simultaneous Dual-Band 4x4 Multi-User MIMO Access Point (2.4 GHz 6-25 dBm, 5 GHz 6-25 dBm) with Dedicated Security Radio, capable of throughput speeds of up to 2533 Mbps and a maximum range of up to 122 meters. Four Stream 802.11 a/b/g/n/r/k/v/ac/ac wave 2, BSSID Up to 8 per Radio. CE, FCC, IC certified. Wall/Ceiling (Kits Included), 802.3at PoE+ 44 to 57VDC, (2) 10/100/1000 Ethernet Ports, Maximum Power Consumption 17W. Includes Real-Time Spectrum and Air-Time Utilization Engine	\$2,649	\$2,649	100%
11.000116	9	UniFi AC EDU	UAP-AC-EDU	Indoor, Simultaneous Dual-Band WiFi Gigabit Ethernet 3x3 MIMO Access Point (2.4 GHz 22 dBm, 5 GHz 22 dBm), capable of throughput speeds of up to 1750 Mbps. Four Stream 802.11 a/b/g/n/r/k/v/ac, BSSID Up to 8 per Radio. CE, FCC, IC certified. Wall/Ceiling (Kits Included), 802.3at PoE+ 44 to 57VDC, (3) 10/100/1000 Ethernet Ports, (1) USB 2.0 Port, Maximum Power Consumption 20W. Two-Way Loudspeaker with Second Order HP Filter	\$399	\$399	100%
11.000118	10	UniFi AC EDU (4 Pack)	UAP-AC-EDU-4	Four Pack Indoor, Simultaneous Dual-Band WiFi Gigabit Ethernet 3x3 MIMO Access Point (2.4 GHz 22 dBm, 5 GHz 22 dBm), capable of throughput speeds of up to 1750 Mbps. Four Stream 802.11 a/b/g/n/r/k/v/ac, BSSID Up to 8 per Radio. CE, FCC, IC certified. Wall/Ceiling (Kits Included), 802.3at PoE+ 44 to 57VDC, (2) 10/100/1000 Ethernet Ports, (1) USB 2.0 Port, Maximum Power Consumption 20W. Two-Way Loudspeaker with Second Order HP Filter	\$1,540	\$1,540	100%
11.000120	11	UniFi AC In-Wall	UAP-AC-IW	Indoor, Simultaneous Dual-Band WiFi Gigabit Ethernet 2x2 MIMO Access Point (2.4 GHz 20 dBm, 5 GHz 20 dBm), capable of throughput speeds of up to 1167 Mbps. Two Stream 802.11 a/b/g/n/r/k/v/ac, BSSID Up to 8 per Radio. CE, FCC, IC certified. 1 Gang Electrical Wall Box (Not Included), 802.3at PoE+ 44 to 57VDC, (3) 10/100/1000 Ethernet Ports, (1) USB 2.0 Port, Maximum Power Consumption 7W, 19W with PoE Pass-Thru. 1 Dual Band Antenna (2.4 GHz 1 dBi, 5 GHz 2 dBi).	\$99	\$99	100%
11.000122	12	UniFi AC In-Wall (5 Pack)	UAP-AC-IW-5	Five Pack Indoor, Simultaneous Dual-Band WiFi Gigabit Ethernet 2x2 MIMO Access Point (2.4 GHz 20 dBm, 5 GHz 20 dBm), capable of throughput speeds of up to 1167 Mbps. Two Stream 802.11 a/b/g/n/r/k/v/ac, BSSID Up to 8 per Radio. CE, FCC, IC certified. 1 Gang Electrical Wall Box (Not Included), 802.3at PoE+ 44 to 57VDC, (3) 10/100/1000 Ethernet Ports, (1) USB 2.0 Port, Maximum Power Consumption 7W, 19W with PoE Pass-Thru. 1 Dual Band Antenna (2.4 GHz 5 dBi, 5 GHz 6.5 dBi).	\$480	\$480	100%



Web #	Item #	Product Name	SKU	Description	MSRP	Eligible	% Eligible
11.000124	13	UniFi AC In-Wall-Pro	UAP-AC-IW-PRO	Indoor, Simultaneous Dual-Band WiFi Gigabit Ethernet 3x3 MIMO Access Point (2.4 GHz 22 dBm, 5 GHz 22 dBm), capable of throughput speeds of up to 1750 Mbps. Three Stream 802.11 a/b/g/n/r/k/v/ac, BSSID Up to 8 per Radio. CE, FCC, IC certified. 1 Gang Electrical Wall Box (Not Included), 802.3at PoE+ 44 to 57VDC, (3) 10/100/1000 Ethernet Ports, (1) USB 2.0 Port, Maximum Power Consumption 10W, 22W with PoE Pass-Thru. 1 Dual Band Antenna (2.4 GHz 1 dBi, 5 GHz 2 dBi).	\$199	\$199	100%
11.000126	14	UniFi AC In-Wall-Pro (5 Pack)	UAP-AC-IW-PRO-5	Five Pack Indoor, Simultaneous Dual-Band WiFi Gigabit Ethernet 3x3 MIMO Access Point (2.4 GHz 22 dBm, 5 GHz 22 dBm), capable of throughput speeds of up to 1750 Mbps. Three Stream 802.11 a/b/g/n/r/k/v/ac, BSSID Up to 8 per Radio. CE, FCC, IC certified. 1 Gang Electrical Wall Box (Not Included), 802.3at PoE+ 44 to 57VDC, (3) 10/100/1000 Ethernet Ports, (1) USB 2.0 Port, Maximum Power Consumption 10W, 22W with PoE Pass-Thru. 1 Dual Band Antenna (2.4 GHz 1 dBi, 5 GHz 2 dBi).	\$945	\$945	100%
11.000128	15	UniFi AC -LITE	UAP-AC-LITE	Indoor, Simultaneous Dual-Band WiFi Ethernet 2x2 MIMO Access Point (2.4 GHz 20 dBm, 5 GHz 20 dBm), capable of throughput speeds of up to 1167 Mbps. Four Stream 802.11 a/b/g/n/r/k/v/ac, BSSID Up to 8 per Radio. CE, FCC, IC certified. Wall/Ceiling (Kits Included), 802.3af/A PoE 24V Passive PoE, 44 to 57VDC, (1) 10/100/1000 Ethernet Port, Maximum Power Consumption 6.5W, 22W with PoE Pass-Thru. 2 Dual Band Antennas (3 dBi Each).	\$89	\$89	100%
11.000130	16	UniFi AC -LITE (5 Pack)	UAP-AC-LITE-5	Five Pack Indoor, Simultaneous Dual-Band WiFi Ethernet 2x2 MIMO Access Point (2.4 GHz 20 dBm, 5 GHz 20 dBm), capable of throughput speeds of up to 1167 Mbps. Four Stream 802.11 a/b/g/n/r/k/v/ac, BSSID Up to 8 per Radio. CE, FCC, IC certified. Wall/Ceiling (Kits Included), 802.3af/A PoE 24V Passive PoE, 44 to 57VDC, (1) 10/100/1000 Ethernet Port, Maximum Power Consumption 6.5W, 22W with PoE Pass-Thru. 2 Dual Band Antennas (3 dBi Each).	\$399	\$399	100%
11.000132	17	UniFi AC -Long Range	UAP-AC-LR	Indoor, Simultaneous Dual-Band WiFi Gigabit Ethernet 3x3 MIMO Access Point (2.4 GHz 24 dBm, 5 GHz 22 dBm), capable of throughput speeds of up to 1750 Mbps. Three Stream 802.11 a/b/g/n/r/k/v/ac, BSSID Up to 8 per Radio. CE, FCC, IC certified. Wall/Ceiling (Kits Included), 802.3af/A 24V Passive PoE, (1) 10/100/1000 Ethernet Ports, Maximum Power Consumption 6.5W. 1 Dual Band Antenna, Tri Polarity (2.4 GHz 3 dBi, 5 GHz 3 dBi).	\$109	\$109	100%
11.000134	18	UniFi AC -Long Range (5 Pack)	UAP-AC-LR-5	5 Pack Indoor, Simultaneous Dual-Band WiFi Gigabit Ethernet 3x3 MIMO Access Point (2.4 GHz 24 dBm, 5 GHz 22 dBm), capable of throughput speeds of up to 1750 Mbps. Three Stream 802.11 a/b/g/n/r/k/v/ac, BSSID Up to 8 per Radio. CE, FCC, IC certified. Wall/Ceiling (Kits Included), 802.3af/A 24V Passive PoE, (1) 10/100/1000 Ethernet Ports, Maximum Power Consumption 6.5W. 1 Dual Band Antenna, Tri Polarity (2.4 GHz 3 dBi, 5 GHz 3 dBi).	\$499	\$499	100%
11.000136	19	UniFi In-Wall HD	UAP-IW-HD-US	In-Wall 802.11a/b/g/n/r/k/v/ac/ac Wave2 MU-MIMO Enterprise Access Point featuring: 4x4 MU-MIMO on 5GHz (1733Mbps max PHY rate), 2x2 MIMO on 2.4 GHz (300Mbps max PHY rate) 802.3af for base functionality (11W), BSSID Up to 8 per Radio, 802.3at required if using PoE passthrough (23W) and 1x4 (1 in, 4 out) switched Gigabit Ethernet ports with configurable PoE passthrough (port 1 only), (2) Single-Port, Single Polarity Dual-Band Antennas, 2.4 GHz: 1.8dBi Each, 5GHz: 3.4 dBi Each,(2) Single-Port, Dual Polarity, Single-Band Antennas, 5 GHz 6 dBi Each. 1 Gang Electrical Wall Box (Not Included).	\$179	\$179	100%
11.000138	20	UniFi nanoHD	UAP-nanoHD	Compact Indoor, Gigabit Ethernet 802.11 a/b/g/n/ac/ac-Wave2 Enterprise Access Point , 4x4 MU-MIMO on 5 GHz (26 dBm, 1733 Mbps max PHY rate), 2x2 MIMO on 2.4 GHz (23 dBm, 300 Mbps max PHY rate). BSSID Up to 8 per Radio. CE, FCC, IC certified. Wall/Ceiling (Kits Included), 802.3af PoE Max Power Consumption 10.5W, (1) RJ45 GbE. 1 Dual Band Antenna (2.4 GHz 2.8 dBi, 5 GHz 3 dBi).	\$179	\$179	100%
11.000140	21	UniFi nanoHD (5 Pack)	UAP-nanoHD-5	Five Pack Compact Indoor, Gigabit Ethernet 802.11 a/b/g/n/ac/ac-Wave2 Enterprise Access Point , 4x4 MU-MIMO on 5 GHz (26 dBm, 1733 Mbps max PHY rate), 2x2 MIMO on 2.4 GHz (23 dBm, 300 Mbps max PHY rate). BSSID Up to 8 per Radio. CE, FCC, IC certified. Wall/Ceiling (Kits Included), 802.3af PoE Max Power Consumption 10.5W, (1) RJ45 GbE. 1 Dual Band Antenna (2.4 GHz 2.8 dBi, 5 GHz 3 dBi).	\$875	\$875	100%
11.000142	22	UniFi Professional Mounting System	U-PRO-MP	Versatile mounting system for UAP-AC-PRO, UAP-AC-HD, UAP-ACSHD, and above.	\$8.50	\$8.50	100%
Gateways							
11.001100	23	UniFi Security Gateway	USG-US	Gateway Router with Gigabit Ethernet and Layer 3 Forwarding, Firewall and Controller; 1,000,000 pps (64 Bytes), 3 Gbps Line Rate. (3) 10/100/1000 Ethernet Ports, (1) RJ45 Serial Port, 512 MB DDR2 RAM, 2 GB Flash Storage, 12VDC, 1A Power Adapter (Included) 9 to 25VDC Supported Voltage Range, Max Power Consumption 7W.	\$139	\$132.05	95%
11.001102	24	UniFi Gigabit Rackmount Gateway Router	USG-PRO-4-US	Enterprise Gateway Router with Gigabit Ethernet and Layer 3 Forwarding, Firewall and Controller; 2,400,000 pps (64 Bytes), 4 Gbps Line Rate (512 Bytes or Larger), (2) 10/100/1000 RJ45 LAN Ports, (2) 1 Gbps RJ45/SFP Combination WAN Ports, (1) RJ45 Serial Port, 2 GB DDR3 RAM, 4 GB Flash Storage, Internal AC/DC Power Adapter, 60W (24V, 2.5A). Rack Mount Configuration.	\$344	\$326.80	95%



Web #	Item #	Product Name	SKU	Description	MSRP	Eligible	% Eligible
11.001104	25	UniFi Dream Machine	UDM	UniFi Combination Network Controller, Managed Switch, Access Point and Security Gateway. (4) LAN 10/100/1000 RJ45 Ports, (1) WAN 10/100/1000 RJ45 Port, IPS Throughput 1 Gbps, Arm Cortex-A57 Quad-Core at 1.7 GHz, 2 GB DDR RAM, 16 GB Flash Storage, Max Power Consumption 26W, Supported Voltage Range 100-240VAC, AC Power Cord, Internal AC/DC Power Adapter (24V, 0.6A), (1) Dual-Band, Quad-Polarity Antenna TX(2.4 GHz 23dBm, 5.6GHz 26 dBm), Gain (2.4 GHz 3 dBi, 5.6 GHz 4.5 dBi), WiFi 802.11a/b/g/n/ac/ac-wave2, BSSID up to 8 per Radio. VLAN 802.1Q, CE,FCC,IC Certified	\$299	\$284.05	95%
Controllers							
11.002100	26	UniFi Controller Hybrid Cloud	UC-CK	UniFi Controller with Hybrid Cloud - Quad-Core SoC with 2GB DDR, 16 GB Internal Storage, (1) 10/100/1000 Ethernet Port, PoE Power 48V 802.3af or Passive PoE (Pairs 4,5+;7,8 Return) USB Type C 5V, Power Supply 803.3af PoE or USB-C5V, Minimum 1A. CE, FCC, IC Certified	\$99	\$99	100%
11.002102	27	UniFi Controller Hybrid Cloud and Application Server	UCK-G2	UniFi Controller with Hybrid Cloud and Application Server - APQ8053 Processor with 2GB RAM, 32 GB Internal Storage, (1) 10/100/1000 Ethernet Port, PoE Power Standard 802.3af , DC 5V 1A Powered. Battery Back-up for Safe Shutdown. CE, FCC, IC Certified	\$179	\$164.68	92%
11.002104	28	UniFi Controller Hybrid Cloud and Application Server	UCK-G2-PLUS	UniFi Controller with Hybrid Cloud and Application Server - APQ8053 8 Core Processor with 3GB RAM, 32 GB eMMC Memory, 1 TB 2.5" SATA Hard Drive (Upgradeable) Internal Storage, (1) 10/100/1000 Ethernet Port, PoE Power Standard 802.3af; Quick Change 2.0/3.0 Power Adapter, 9VDC, 2A. Max Power Consumption 12.95W (PoE); USB-C Power. CE, FCC, IC Certified	\$199	\$164.68	82.75%
11.002106	29	UniFi Controller Hybrid Cloud and Application Server	CKG2-RM	19" Front Panel Rack Mount Accessory for the UCK-G2 and UCK-G2-PLUS	\$99	Varies	Varies
Routers							
11.003100	30	EdgeRouter Lite	ERLite-3	Gigabit Edge Router with Layer 3 Forwarding; (1) RJ45 Serial Port., (3) 10/100/1000 Ethernet Ports, 512 MB DDR2 RAM, 2GB Flash Storage, Dual-Core 500MHz, MIPS64 with Hardware Acceleration for Packet Processing, 1 Million pps, External AC/DC Power Adapter, 12W (12V,1A) (Included), Supported Voltage Range 9 to 24VDC. CE, FCC, IC Certified.	\$129	\$129	100%
11.003102	31	EdgeRouter 4	ER-4	Gigabit Edge Router with Layer 3 Forwarding; (1) RJ45 Serial Management Port, (4) 10/100/1000 Ethernet Ports (default eth0) (3) 10/100/1000 RJ45 Port (1) Gbps SFP Port, 4 GB eMMC, 8 MB SPINOR Flash Storage, 1 GB DDR3 RAM, Packet Processing 3.4 Million pps, 4 Gbps (Line Rate), Universal Power Cord, Internal AC/DC Power Adapter, 30WDC, Supported Voltage Range 100 to 240 VAC. CE, FCC, IC Certified.	\$199	\$199	100%
11.003104	32	EdgeRouter PoE	ERPoe-5	Gigabit PoE Edge Router with Layer 3 Forwarding; (1) RJ45 Serial Management Port, (2) 10/100/1000 Ethernet Router Ports, (3) 10/100/1000 Ethernet Router/Switch Ports, Dual-Core 500 MHz, MIPS64 with Hardware Acceleration Packet Processing, 512 MB DDR2 RAM, Packet Processing 1 Million pps, 3 Gbps (Line Rate), Universal Power Cord, External AC/DC Power Adapter, 60W (48V,1.25A) (Included), Supported Voltage Range 9 to 24VDC. CE, FCC, IC Certified.	\$175	\$175	100%
11.003106	33	EdgeRouter 6P	ER-6P	Gigabit PoE Edge Router with Layer 3 Forwarding; (1) RJ45 Serial Management Port, (6) Ethernet Ports(Default eth0) (5) 10/100/1000 RJ45 Ports with PoE, 4-Core 1GHz MIPS64, 1 GB DDR3 RAM, 4 GB eMMC, 8 MB SPINOR Flash Storage, Packet Processing 3.4 Million pps, 6 Gbps (Line Rate), Universal Power Cord, External AC/DC Power Adapter, 60W (48V,1.25A) (Included), Supported Voltage Range 16 to 30VDC. CE, FCC, IC Certified.	\$259	\$259	100%
11.003108	34	EdgeRouter 8	ER-8	Gigabit Edge Router with Layer 3 Forwarding; (1) RJ45 Serial Management Port, (8) 10/100/1000 Ethernet Ports, Dual-Core 800 MHz MIPS64 with Hardware Acceleration for Packet Processing, 2 GB DDR3 RAM, 4 GB Flash Storage, Packet Processing 2 Million pps, 8 Gbps (Line Rate), Universal Power Cord, Internal AC/DC Power Adapter 60W, Supported Voltage Range 100 to 240 VAC.. CE, FCC, IC Certified.	\$329	\$329	100%
11.003110	35	EdgeRouter PRO	ERPRO-8	Gigabit Edge Router with Layer 3 Forwarding; (1) RJ45 Serial Management Port, (6) 10/100/1000 RJ45 Ports, (2) 10/100/1000 RJ45/SFP Combination Ports, Dual-Core 1 GHz MIPS64 with Hardware Acceleration for Packet Processing, 2 GB DDR3 RAM, 4 GB Flash Storage, Packet Processing 2.4 Million pps, 8 Gbps (Line Rate), Universal Power Cord, Internal AC/DC Power Adapter 40W, Supported Voltage Range 100 to 240 VAC.. CE, FCC, IC Certified.	\$399	\$399	100%
11.003112	36	EdgeRouter 10X	ER-10X	Gigabit PoE Edge Router with Layer 3 Forwarding; (1) RJ45 Serial Management Port, (10) 10/100/1000 Ethernet Ports (Default Port 0), (10) 10/100/1000 RJ45 Ports, Dual-Core 880 MHz MIPS1004Kc, 512 MB DDR3 RAM, 512 MB NAND Flash Storage, Packet Processing 260,000 pps (64 Bytes), 8 Gbps (Line Rate 1518 Bytes or Larger), External AC/DC Power Adapter, 24W (24V,1A) (Included) 24V Passive PoE. CE, FCC, IC Certified.	\$109	\$109	100%



Web #	Item #	Product Name	SKU	Description	MSRP	Eligible	% Eligible
11.003114	37	EdgeRouter 12	ER-12	Gigabit PoE Edge Router with Layer 3 Forwarding; (1) RJ45 Serial Management Port, (10) 10/100/1000 Ethernet Ports (Default Port 0), (10) 10/100/1000 RJ45 Ports, (2) 1 Gbps SFP Ports, 4 Core 1 GHz MIPS64, 1 GB DDR3 RAM, 4 GB eMMC, 8 MB SPINOR Flash Storage, Packet Processing 3,400,000 pps (64 Bytes), 6.8 Gbps (Line Rate 1518 Bytes or Larger), External AC/DC Power Adapter, 24W (24V,1A) (Included) 24V Passive PoE. CE, FCC, IC Certified.	\$249	\$249	100%
11.003116	38	EdgeRouter 12P	ER-12P	Gigabit PoE Edge Router with Layer 3 Forwarding; (1) RJ45 Serial Management Port, (10) 10/100/1000 Ethernet Ports (Default Port 0), (10) 10/100/1000 RJ45 Ports with PoE, (2) 1 Gbps SFP Ports, 4 Core 1 GHz MIPS64, 1 GB DDR3 RAM, 4 GB eMMC, 8 MB SPINOR Flash Storage, Packet Processing 3,400,000 pps (64 Bytes), 6.8 Gbps (Line Rate 1518 Bytes or Larger), External AC/DC Power Adapter, 24W (24V,2.5A) (Included) 24V Passive PoE. CE, FCC, IC Certified.	\$299	\$299	100%
Switches							
11.004100	39	UniFi Switch 8	US-8	Managed Gigabit PoE Switch, (8) 10/100/1000 Mbps RJ45 Ports, 25W External Power Supply. PoE In (Port 1) Mode 1: 802.3af/at (Pins 1,2+;3,6-), Mode 2: Passive 48V (Pins4, 5+;7,8-). PoE Out (Port 8) Mode 1: 48V (Pins 1,2+;3,6-), Mode 2: Passive 48V (Pins 4,5+;7,8-). DC Input Mode 48VDC (Pins 1,2+;3,6-). CE, FCC, IC certified.	\$99	\$99	100%
11.004102	40	UniFi Switch 8 (60W)	US-8-60W	Managed Gigabit PoE Switch, (8) 10/100/1000 Mbps RJ45 Ports, 60W. Power Supply, External AC/DC Adapter: 48V, 1.25A. PoE Interfaces: (4) Ports 5,6,7,8: IEEE 802.3af. Up to 8 Gbps total, non-blocking line rate, up to 15W output per PoE Port. CE, FCC, IC certified.	\$109	\$109	100%
11.004104	41	UniFi Switch 8 (60W) (5 Pack)	US-8-60W-5	5 Pack - Managed Gigabit PoE Switch, (8) 10/100/1000 Mbps RJ45 Ports, 60W. Power Supply, External AC/DC Adapter: 48V, 1.25A. PoE Interfaces: (4) Ports 5,6,7,8: IEEE 802.3af. Up to 8 Gbps total, non-blocking line rate, up to 15W output per PoE Port. CE, FCC, IC certified.	\$540	\$540	100%
11.004106	42	UniFi Switch 8 (150W)	US-8-150W	Managed Gigabit PoE Switch, (8) 10/100/1000 Mbps RJ45 Ports, (2) 1 Gbps SFP Ports, Up to 10 Gbps non-blocking 'throughput, switching capacity 20 Gbps, 14.88 Mpps forwarding rate. 255 Maximum VLANs. Up to 34.2W output per PoE Port by PSE. Power Supply; AC/DC Internal, 150W DC. PoE Interfaces; PoE+ IEEE 802.3af/at (Pins 1,2+;3,6-), 24VDC Passive PoE (Pins 4,5+;7,8-). CE, FCC, IC Certified.	\$199	\$199	100%
11.004108	43	UniFi Switch 16 (150W)	US-16-150W	Managed Gigabit PoE Switch, (16) 10/100/1000 Mbps RJ45 Ports, (2) 1 Gbps SFP Ports, 150W DC. Up to 18 Gbps non-blocking 'throughput, switching capacity 36 Gbps, 26.78 Mpps forwarding rate. 255 Maximum VLANs. Up to 34.2W output per PoE Port by PSE. Power Supply; AC/DC Internal, 150W DC. PoE Interfaces; PoE+ IEEE 802.3af/at (Pins 1,2+;3,6-), 24VDC Passive PoE (Pins 4,5+;7,8-). CE, FCC, IC Certified.	\$299	\$299	100%
11.004110	44	UniFi Switch 16 XG	US-16-XG	10 Gigabit Managed Aggregation Switch, (12) 1/10 Gbps SFP+ Ethernet Ports, (4) 1/10 RJ45 Ethernet Ports, (1) RJ45 Serial Port Out-of-Band, Ethernet Ports In-Band. Up to 160 Gbps non-blocking 'throughput, switching capacity 320 Gbps, 238.10 Mpps forwarding rate. 255 Maximum VLANs. Power Supply; AC/DC Internal, 56W DC. Power Method; AC (100-240VAC/50-60 Hz. Universal Input), DC (56W, 57 to 20V with 48/24VDC Terminal Block). CE, FCC, IC Certified.	\$599	\$599	100%
11.004112	45	UniFi Switch 24 (250W)	US-24-250W	Managed Gigabit PoE Switch, (24) 10/100/1000 Mbps RJ45 Ports, (2) 1 Gbps SFP Ports, Up to 26 Gbps non-blocking 'throughput, switching capacity 52 Gbps, 38.69 Mpps forwarding rate. 255 Maximum VLANs. Up to 34.2W output per PoE Port by PSE. Power Supply; AC/DC Internal, 500W DC. PoE Interfaces; PoE+ IEEE 802.3af/at (Pins 1,2+;3,6-), 24VDC Passive PoE (Pins 4,5+;7,8-). CE, FCC, IC Certified.	\$399	\$399	100%
11.004114	46	UniFi Switch 24 (500W)	US-24-500W	Managed Gigabit PoE Switch, (24) 10/100/1000 Mbps RJ45 Ports, (2) 1 Gbps SFP Ports, Up to 26 Gbps non-blocking 'throughput, switching capacity 56 Gbps, 38.69 Mpps forwarding rate. 255 Maximum VLANs. Up to 34.2W output per PoE Port by PSE. Power Supply; AC/DC Internal, 250W DC. PoE Interfaces; PoE+ IEEE 802.3af/at (Pins 1,2+;3,6-), 24VDC Passive PoE (Pins 4,5+;7,8-). CE, FCC, IC Certified.	\$545	\$545	100%
11.004116	47	UniFi Switch 48 (500W)	US-48-500W	Managed Gigabit PoE Switch, (48) 10/100/1000 Mbps RJ45 Ports, (2) 1 Gbps SFP+ Ports, (2) 1 Gbps SFP Ports, Up to 70 Gbps non-blocking 'throughput, switching capacity 140 Gbps, 104.16 Mpps forwarding rate. 255 Maximum VLANs. Up to 34.2W output per PoE Port by PSE. Power Supply; AC/DC Internal, 500W DC. PoE Interfaces; PoE+ IEEE 802.3af/at (Pins 1,2+;3,6-), 24VDC Passive PoE (Pins 4,5+;7,8-). CE, FCC, IC Certified.	\$835	\$835	100%
11.004118	48	UniFi Switch 48 (750W)	US-48-750W	Managed Gigabit PoE Switch, (48) 10/100/1000 Mbps RJ45 Ports, (2) 1 Gbps SFP+ Ports, (2) 1 Gbps SFP Ports, Up to 70 Gbps non-blocking 'throughput, switching capacity 140 Gbps, 104.16 Mpps forwarding rate. 255 Maximum VLANs. Up to 34.2W output per PoE Port by PSE. Power Supply; AC/DC Internal, 250W DC. PoE Interfaces; PoE+ IEEE 802.3af/at (Pins 1,2+;3,6-), 24VDC Passive PoE (Pins 4,5+;7,8-). CE, FCC, IC Certified.	\$1,025	\$1,025	100%
11.004120	49	UniFi Pro 24 Port PoE Switch	USW-Pro-24-POE	Managed Gigabit PoE Layer 3 Switch, (24) 10/100/1000 Mbps RJ45 Ports, (2) 1/10 SFP+ Ethernet Ports, Ethernet In-Band Management, Up to 44 Gbps non-blocking throughput, switching capacity 88 Gbps, 65.472 Mpps forwarding rate. Up to 32W/802.3at, 64W/802.3bt output per PoE Port by PSE. Power Supply; AC/DC Internal, 450W DC. PoE Interfaces; Ports 1-16 PoE+ IEEE 802.3af/at (Pins 1,2+;3,6-); Ports 17-24 PoE++ IEEE 802.3bt (Pair A 1,2+;3,6-), (Pair B 4,5+;7,8-), Total Available PoE 400W. CE, FCC, IC Certified.	\$599	\$599	100%



Web #	Item #	Product Name	SKU	Description	MSRP	Eligible	% Eligible
11.004122	50	UniFi Pro 48 Port PoE Switch	USW-Pro-48-POE	Managed Gigabit PoE Layer 3 Switch, (48) 10/100/1000 Mbps RJ45 Ports, (4) 1/10 SFP+ Ethernet Ports, Ethernet In-Band Management, Up to 88 Gbps non-blocking throughput, switching capacity 176 Gbps, 130.944 Mpps forwarding rate. Up to 32W/802.3at, 64W/802.3bt output per PoE Port by PSE. Power Supply; AC/DC Internal, 450W DC. PoE Interfaces; Ports 1-40 PoE+ IEEE 802.3af/at (Pins 1,2+;3,6-); Ports 41-48 PoE++ IEEE 802.3bt (Pair A 1,2+;3,6-), (Pair B 4,5+;7,8-), Total Available PoE 400W. CE, FCC, IC Certified.	\$999	\$999	100%
11.004124	51	Edge Switch-5XP	ES-5XP	Advanced Gigabit Managed PoE Edge Switch, (5) 10/100/1000 Ethernet Ports, (1) 10/100 Ethernet Management Port. 64 MB Memory, Code Storage 8 MB. Data Ports (Off/24V). Power Supply; 24VDC,2.5A Power Adapter (Included), Max Power Consumption 60W. PoE Out Voltage Range 22-24VDC, Max PoE Wattage Per Data Port 11.5W. CE, FCC, IC Certified.	\$105	\$105	100%
11.004126	52	Edge Switch-8XP	ES-8XP	Advanced Gigabit Managed PoE Edge Switch, (8) 10/100/1000 Ethernet Ports, (1) 10/100 Ethernet Management Port. 64 MB Memory, Code Storage 8 MB. Data Ports (Off/24V/48V). Power Input 110-120VAC / 210-230VAC, Max Power Consumption 150W. PoE Out Voltage Range 45-48VDC / 22-24VDC, Max PoE Wattage Per Data Port 11.5W(24V), 23W(48V). CE, FCC, IC Certified.	\$189	\$189	100%
11.004128	53	Edge Switch-16XP	ES-16XP	2 ES-8XP Edge Switches Mounted in a 19 1U Rack Configuration	\$465	\$465	100%
11.004130	54	Edge Switch-8-(150W)	ES-8-150W	Managed PoE+ Gigabit Edge Switch, (8) 10/100/1000 Mbps RJ45 Ports, (2) 1 Gbps SFP Ports, Management Interface (1) RJ45 Serial Port Out-of-Band, Ethernet Ports In-Band, Up to 10 Gbps non-blocking throughput, switching capacity 20 Gbps, 14.88 Mpps forwarding rate. Up to 34.2W output per PoE Port by PSE. Power Supply; AC/DC Internal, 150W DC. PoE Interfaces; PoE+ IEEE 802.3af/at (Pins 1,2+;3,6-), 24VDC Passive PoE (Pins 4,5+;7,8-). CE, FCC, IC Certified.	\$199	\$199	100%
11.004132	55	Edge Switch-12-Fiber	ES-12F	Managed Gigabit Fiber Edge Switch, (8) 100/1000 Mbps SFP Ethernet Ports, (4) 1000 Mbps SFP Ethernet Ports, Management Interface (1) RJ45 Serial Port Out-of-Band, Ethernet Ports In-Band, Up to 16 Gbps non-blocking throughput, switching capacity 32 Gbps, 23.81 Mpps forwarding rate. Power Supply; AC/DC Internal, 56W DC. CE, FCC, IC Certified.	\$244	\$244	100%
11.004134	56	Edge Switch-16-(150W)	ES-16-150W	Managed PoE+ Gigabit Edge Switch, (16) 10/100/1000 Mbps RJ45 Ports, (2) 1 Gbps SFP Ports, Management Interface (1) RJ45 Serial Port Out-of-Band, Ethernet Ports In-Band, Up to 18 Gbps non-blocking throughput, switching capacity 36 Gbps, 26.78 Mpps forwarding rate. Up to 34.2W output per PoE Port by PSE. Power Supply; AC/DC Internal, 150W DC. PoE Interfaces; PoE+ IEEE 802.3af/at (Pins 1,2+;3,6-), 24VDC Passive PoE (Pins 4,5+;7,8-). CE, FCC, IC Certified.	\$329	\$329	100%
11.004136	57	Edge Switch-24-(250)	ES-24-250W	Layer 2/3 Managed PoE+ Gigabit Edge Switch, (24) 10/100/1000 Mbps RJ45 Ports, (2) 1 Gbps SFP Ports, Management Interface (1) RJ45 Serial Port Out-of-Band, Ethernet Ports In-Band, Up to 26 Gbps non-blocking throughput, switching capacity 56 Gbps, 38.69 Mpps forwarding rate. Up to 34.2W output per PoE Port by PSE. Power Supply; AC/DC Internal, 250W DC. PoE Interfaces; PoE+ IEEE 802.3af/at (Pins 1,2+;3,6-), 24VDC Passive PoE (Pins 4,5+;7,8-). CE, FCC, IC Certified.	\$399	\$399	100%
11.004138	58	Edge Switch-24-(500W)	ES-24-500W	Layer 2/3 Managed PoE+ Gigabit Edge Switch, (24) 10/100/1000 Mbps RJ45 Ports, (2) 1 Gbps SFP Ports, Management Interface (1) RJ45 Serial Port Out-of-Band, Ethernet Ports In-Band, Up to 26 Gbps non-blocking throughput, switching capacity 56 Gbps, 38.69 Mpps forwarding rate. Up to 34.2W output per PoE Port by PSE. Power Supply; AC/DC Internal, 500W DC. PoE Interfaces; PoE+ IEEE 802.3af/at (Pins 1,2+;3,6-), 24VDC Passive PoE (Pins 4,5+;7,8-). CE, FCC, IC Certified.	\$595	\$595	100%
11.004140	59	Edge Switch-48-(500W)	ES-48-500W	Layer 2/3 Managed PoE+ Gigabit Edge Switch, (48) 10/100/1000 Mbps RJ45 Ports, (2) 1 Gbps SFP+ Ports, (2) 1 Gbps SFP Ports, Management Interface (1) RJ45 Serial Port Out-of-Band, Ethernet Ports In-Band, Up to 70 Gbps non-blocking throughput, switching capacity 140 Gbps, 104.16 Mpps forwarding rate. Up to 34.2W output per PoE Port by PSE. Power Supply; AC/DC Internal, 500W DC. PoE Interfaces; PoE+ IEEE 802.3af/at (Pins 1,2+;3,6-), 24VDC Passive PoE (Pins 4,5+;7,8-). CE, FCC, IC Certified.	\$899	\$899	100%
11.004142	60	Edge Switch-48-(750W)	ES-48-750W	Layer 2/3 Managed PoE+ Gigabit Edge Switch, (48) 10/100/1000 Mbps RJ45 Ports, (2) 1 Gbps SFP+ Ports, (2) 1 Gbps SFP Ports, Management Interface (1) RJ45 Serial Port Out-of-Band, Ethernet Ports In-Band, Up to 70 Gbps non-blocking throughput, switching capacity 140 Gbps, 104.16 Mpps forwarding rate. Up to 34.2W output per PoE Port by PSE. Power Supply; AC/DC Internal, 750W DC. PoE Interfaces; PoE+ IEEE 802.3af/at (Pins 1,2+;3,6-), 24VDC Passive PoE (Pins 4,5+;7,8-). CE, FCC, IC Certified.	\$1,099	\$1,099	100%
11.004144	61	Edge Switch-24-LITE-US	ES-24-LITE-US	Managed Gigabit Edge Switch with SFP, (24) 10/100/1000 RJ45 Ethernet Ports, (2) 1 Gbps SFP Ethernet Ports, Management Interface (1) RJ45 Serial Port Out-of-Band, Ethernet Ports In-Band, Up to 26 Gbps non-blocking throughput, switching capacity 52 Gbps, 38.69 Mpps forwarding rate. Power Supply; AC/DC Internal, 25W DC. CE, FCC, IC Certified.	\$240	\$240	100%
11.004146	62	Edge Switch-48-LITE-US	ES-48-LITE-US	Managed Gigabit Edge Switch with SFP, (48) 10/100/1000 Mbps Ethernet Ports, (2) 1/10 Gbps SFP+ Ethernet Ports, (2) 1 Gbps SFP Ethernet Ports, Management Interface (1) RJ45 Serial Port Out-of-Band, Ethernet Ports In-Band, Up to 70 Gbps non-blocking throughput, switching capacity 140 Gbps, 101.16 Mpps forwarding rate. Power Supply; AC/DC Internal, 56W DC. CE, FCC, IC Certified.	\$460	\$460	100%



Web #	Item #	Product Name	SKU	Description	MSRP	Eligible	% Eligible
SFP Modules							
11.005100	63	2 Pack SFP 1G Module	UF-MM-1G	2 Pack Multi-mode model with SFP, 1 Gbps. For convenient multi-mode connections that extend beyond the 100-meter limitation of Ethernet cabling, use the UF-MM-1G for distances of up to 550 m and speeds of up to 1 Gbps	\$17	\$17	100%
11.005102	64	20 Pack SFP 1G Module	UF-MM-1G-20	20 Pack Multi-mode model with SFP, 1 Gbps. For convenient multi-mode connections that extend beyond the 100-meter limitation of Ethernet cabling, use the UF-MM-1G for distances of up to 550 m and speeds of up to 1 Gbps	\$150	\$150	100%
11.005104	65	Pair SFP 1G S Module	UF-SM-1G-S	Pair Single-mode model with SFP, 1 Gbps. For convenient multi-mode connections that extend beyond the 100-meter limitation of Ethernet cabling, use the UF-MM-1G for distances of up to 550 m and speeds of up to 1 Gbps	\$22	\$22	100%
11.005106	66	20 Pack SFP 1G S Module	UF-SM-1G-S-20	20 Pair Single-mode model with SFP, 1 Gbps. For convenient multi-mode connections that extend beyond the 100-meter limitation of Ethernet cabling, use the UF-MM-1G for distances of up to 550 m and speeds of up to 1 Gbps	\$190	\$190	100%
11.005108	67	2 Pack SFP 10G Module	UF-MM-10G	2 Pack Multi-mode model with SFP+, 10 Gbps. For convenient multi-mode connections that extend beyond the 100-meter limitation of Ethernet cabling, use the UF-MM-10G for distances of up to 300 m and speeds of up to 10 Gbps	\$38	\$38	100%
11.005110	68	20 Pack SFP 10G Module	UF-MM-10G-20	20 Pack Multi-mode model with SFP+, 10 Gbps. For convenient multi-mode connections that extend beyond the 100-meter limitation of Ethernet cabling, use the UF-MM-10G for distances of up to 300 m and speeds of up to 10 Gbps	\$360	\$360	100%
11.005112	69	2 Pack SFP 10G Module	UF-SM-10G	2 Pack Single-mode model with SFP+, 10 Gbps. For convenient multi-mode connections that extend beyond the 100-meter limitation of Ethernet cabling, use the UF-MM-10G for distances of up to 300 m and speeds of up to 10 Gbps	\$85	\$85	100%
11.005114	70	20 Pack SFP 10G Module	UF-SM-10G-20	20 Pack Single-mode model with SFP+, 10 Gbps. For convenient multi-mode connections that extend beyond the 100-meter limitation of Ethernet cabling, use the UF-MM-10G for distances of up to 300 m and speeds of up to 10 Gbps	\$750	\$750	100%
11.005116	71	2 Pack SFP 10G-S Module	UF-SM-10G-S	2 Pack Single-mode model with SFP+, 10 Gbps. For convenient multi-mode connections that extend beyond the 100-meter limitation of Ethernet cabling, use the UF-MM-10G for distances of up to 300 m and speeds of up to 10 Gbps	\$160	\$160	100%
11.005118	72	20 Pack SFP 10G Module	UF-SM-10G-S-20	20 Pack Single-mode model with SFP+, 10 Gbps. For convenient multi-mode connections that extend beyond the 100-meter limitation of Ethernet cabling, use the UF-MM-10G for distances of up to 300 m and speeds of up to 10 Gbps	\$1,450	\$1,450	100%
Antennas & Accessories							
11.006100	73	NanoBeam 5AC Gen 2	NBE-5AC-GEN 2	NanoBeam Antenna with proprietary airMAX ac chipset and dedicated management Wi-Fi for easy UNMS mobile app support and fast setup. This airMAX ac CPE pivots on a ball joint for mounting and alignment flexibility.	\$99	\$99	100%
11.006102	74	Ethernet Surge Protection	ETH-SP-G2	Ethernet to Ethernet Surge Protector engineered to protect any Power-over-Ethernet (PoE) or non-PoE device with connection speeds of up to 1 Gbps. Two passive, surge-protected RJ45 10/100/1000 connections provide maximum equipment compatibility. With IEEE 802.3af PoE support operating temperature -22 to 149 degrees F.	\$12.50	\$12.50	100%
Cameras and Accessories							
11.007100	75	UniFi Video G3-FLEX Camera	UVC-G3-FLEX	Expand your UniFi Video surveillance system with the versatile G3FLEX an indoor/outdoor camera with a wide-angle lens, 1080p video performance, infrared LEDs and IR illuminators provide high-quality day and night monitoring for a smooth user experience and pro performance. Ubiquiti's Hybrid Cloud technology creates an encrypted peer-to-peer connection allowing users to have full control and access their data and video feeds from anywhere with no subscription fees. Connected via PoE connection and managed through the UniFi Cloud Key Gen2 Plus with the ability to expand data storage up to 5TB.	\$79	\$0	0%
11.007102	76	UniFi Video G3-FLEX-3 Cameras	UVC-G3-FLEX-3	Three Pack Expand your UniFi Video surveillance system with the versatile G3FLEX an indoor/outdoor camera with a wide-angle lens, 1080p video performance, infrared LEDs and IR illuminators provide high-quality day and night monitoring for a smooth user experience and pro performance. Ubiquiti's Hybrid Cloud technology creates an encrypted peer-to-peer connection allowing users to have full control and access their data and video feeds from anywhere with no subscription fees. Connected via PoE connection and managed through the UniFi Cloud Key Gen2 Plus with the ability to expand data storage up to 5TB.	\$229	\$0	0%
11.007104	77	UniFi Video G3-PRO Camera	UVC-G3 PRO	The UniFi Video G3-PRO PoE camera delivers uncompromising image quality in any lighting conditions filming in 1080p Full HD. A 3X powered optical zoom lens allows the field of view to be precisely adjusted to cater to the unique needs of each installation. The integrated high-power infrared LEDs, wide-aperture lens, and larger image sensor work together to capture every detail at night, while the wide dynamic range provides feature optimal image quality in even the most challenging daytime scenes.	\$299	\$0	0%
11.007106	78	UniFi Protect G4-PRO Camera	UVC-G4 PRO	Capture every detail with the 4K resolution G4-PRO camera. The G4PRO is our most powerful camera yet, with a large 1/2" image sensor, 3X powered optical zoom lens, and integrated high-power infrared LEDs for night vision. The adjustable base can be mounted to a flat surface or a pole with the included mounting hardware.	\$449	\$0	0%



Web #	Item #	Product Name	SKU	Description	MSRP	Eligible	% Eligible
11.007108	79	Pendant Mount for UVC-G3-FLEX	UVC-G3-F-PENDANT	Suspend your UVC-G3-FLEX camera from the ceiling with the pendant mount accessory. Works with standard 1.5"-11.5 NPS or 3/4"-14 NPS threaded conduit. The ethernet cable runs through the conduit for a clean installation. Includes two screws to secure the G3-FLEX camera into the mount.	\$10	\$0	0%
11.007110	80	Ceiling Mount for UVC-G3-FLEX	UVC-G3-F-C	Recessed ceiling mount accessory for the UVC-G3-FLEX camera. Mount your camera inside the ceiling or a ceiling tile for a clean, low-profile installation. Includes mounting hardware for drywall, solid surface, or ceiling tile installation. Optional security screw locks the camera to the mount from above for added security.	\$19	\$0	0%
11.007112	81	Ceiling Mount for UVC-G3-FLEX-3	UVC-G3-F-C-3	Three Pack Recessed ceiling mount accessory for the UVC-G3-FLEX camera. Mount your camera inside the ceiling or a ceiling tile for a clean, low-profile installation. Includes mounting hardware for drywall, solid surface, or ceiling tile installation. Optional security screw locks the camera to the mount from above for added security.	\$50	\$0	0%
Phones							
11.008100	82	UVP Touch Phone	UVP-Touch	Next-Generation Smartphone Technology for Corporate Environments. The UVP Touch is Ubiquiti's next-generation enterprise desktop smartphone. It features a higher-resolution 720 x 1280 HD color touchscreen display, an improved audio codec, redesigned physical buttons for convenient keypad and volume control, and a USB-C port for charging mobile devices. Built on Android Nougat, the UVP Touch includes a 5 Megapixel camera on the front for video conferencing. Easily configure it to connect to your third-party SIP/PBX provider, or configure it with the Talk Controller.	\$199	\$0	0%
AMPLIFI							
11.009100	83	AmpliFi HD WiFi System	AFI-HD	AmpliFi HD is a powerful mesh Wi-Fi system that melds elegant design with the capacity and functionality necessary for the connected business. It's uncompromising industrial design is meant to complement your interior while the powerful 3x3 MIMO antennas and 802.11ac Wi-Fi technology easily blanket your office with Wi-Fi. The main router comes with two, plug-and-play Mesh Points, a touch screen display and LCD lighting. With a range of up to 10,000 sq. ft., downloading, streaming and controlling your connected devices are not limited to the areas around your router.	\$340	\$340	100%
11.009102	84	AmpliFi HD WiFi Router	AFI-R	Gigabit WiFi Router; (1) WAN, (4) LAN Ports , Management Interface Ethernet or Wi-Fi, Data Rates; 2.4 GHz - 450 Mbps, 5 GHz - 1300 Mbps, 3x3 MIMO, 802.11a/b/g/n/ac, 9V, 1.7A USB Adapter, 11W (Max). CE, FCC, IC Certified.	\$149.99	\$149.99	100%
11.009104	85	AmpliFi MeshPoint HD	AFI-P	The AmpliFi™ MeshPoint HD (High Density) features an adjustable super antenna. Pair the MeshPoint with the AmpliFi™ Router to expand the coverage of an AmpliFi™ network or turn an existing router into a powerful mesh network. Add MeshPoints around your office as needed to eliminate dead spots. For instant setup, use our intuitive mobile app (iOS or Android) or a standard web browser.	\$119	\$119	100%